# DiamoDent® RESTORATIVE CATALOG AND PRICE LIST



MARCH 2013
NINTH EDITION

# **Table of Contents**

# $\label{products} \textbf{Prosthetic products compatible with:}$

# **Nobel Biocare**®

	Internal Connection - NobelReplace® Tapered & Straight Groovy®, NobelSpeedy®	)
	Replace, Replace® Select Tapered & Straight Systems	
	3.5mm Narrow Platform (NP) implants®	5-6
	4.3mm Regular Platform (RP) implants®	7-8
	5.0mm Wide Platform (WP) implants®	9-10
	6.0mm implants®	11-12
	External Connection - Branemark® System	
	3.75 & 4mm Regular Platform (RP) implants®	43-44
	5mm Wide Platform (WP) implant®	48
Zimm	er®	
	3.3mm & 3.7mm (3.5mm Platform) Screw-Vent Zimmer implants®	13-14
	4.7mm (4.5mm Platform) Screw-Vent Zimmer implant®	15-16
	6mm (5.7mm Platform) Screw-Vent Zimmer implant®	17-18

# **Table of Contents**

# BIOMET® 3i®

# **Internal Hex Connection – 3i Certain Implants**

4.1mm Platform Certain implants®	27-28
5.0mm Platform Certain implants®	29-30
6.0mm Platform Certain implants®	31-32
External Hex Connection	
5mm implants	45-46
6mm implants	47

#### **Straumann®**

4.1mm/4.8mm Regular Neck (RN) implants®	33-3
4.8mm Wide Neck (WN) implants®	35-36
3 3mm Narrow Neck (NN) implants®	37

# **Table of Contents**

Friadent®	
3.4mm Frialit-2 & XiVE implants®	38
3.8 Frialit-2 & XiVE implants®	39
4.5mm Frialit-2 & XiVE implants®	40
5.5mm Frialit-2 & XiVE implants®	41
Steri-Oss®/ Nobel Biocare®	
4.3mm Replace implant®	51
5mm Replace and HL Threaded implants®	52
Tools and Accessories	
Screwdrivers	53
Hader Bars	53
Driver Tips	54
Lab Screwdrivers	55
Price I ist	56-60

#### **Patents**

Some of the products in this catalog are covered by the following patents:

US 7,104,797 B2 US 6,923,648 B1 US D562,453 S



Groovy®, NobelSpeedy® Replace® SelectTapered & Straight implants

## **UCLA ABUTMENT, Gold/Clear Plastic, Purple**

AA100 Engaging, 0.5mm Collar, 3.7mm Profile AA101 Non-Engaging, 0.5mm Collar, 3.7mm Profile

Requires ComScrew catalog number AA660



#### AA100

.100 AA101

# **UCLA ABUTMENT, Clear Plastic, Purple**

AA200 Engaging, 1.0mm Collar, 4.3mm Profile AA201 Non-Engaging, 1.0mm Collar, 4.3mm Profile

Requires ComScrew catalog number AA660



AA200



AA201

#### **OVERDENTURE ABUTMENT, Clear Plastic, Purple**

AA401 Non-Engaging

Requires ComScrew catalog number AA660 For use with screw retained dentures, Hader Bar and distal extension attachment cases.



#### **CEMENT-ON POST, Titanium**

AA505 1mm Collar, 4.5mm Profile AA510 2mm Collar, 4.5mm Profile AA515 4mm Collar, 4.5mm Profile AA520 2mm Collar, 5.3mm Profile AA525 4mm Collar, 5.3mm Profile AA535 3mm Collar, 5.3mm Profile

Requires ComScrew catalog number AA660



AA505



AA510



AA515



AA520



AA525



AA535

#### ComScrew®, Titanium

AA660 35 Ncm **UniGrip®** 

CUSTOMER SERVICE 888-281-8850





Groovy®, NobelSpeedy® Replace® SelectTapered & Straight implants

#### **GUIDE PIN/WAXING SCREW, Titanium, Purple**

AA680 UniGrip®



# THREADED IMPRESSION COPING, Titanium, Purple

AA700 Closed Tray, 4.1mm Profile



# **THREADED IMPRESSION COPING, Titanium, Purple**

AA750 Open Tray, 4.2mm Profile



#### **TEMPORARY ABUTMENT, Titanium**

AA800 Engaging, 1mm Collar, 4.5mm Profile AA801 Non-Engaging, 1mm Collar, 4.5mm Profile





Requires ComScrew catalog number AA660

800 AA801

# IMPLANT REPLICA, Aluminum, Purple

AA910



Compatible with: -4.3mm Regular Platform (RP) NobelReplace® Tapered & Straight Groovy®, NobelSpeedy® Replace, Replace® Select Tapered & Straight implants

#### **UCLA ABUTMENT, Gold/Clear Plastic, Yellow**

AB100 Engaging, 0.5mm Collar, 4.5mm Profile AB101 Non-Engaging, 0.5mm Collar, 4.5mm Profile

Requires ComScrew catalog number AB660





AB100

AB101

#### **UCLA ABUTMENT, Clear Plastic, Yellow**

AB200 Engaging, 1.0mm Collar, 5.0mm Profile AB201 Non-Engaging, 1.0mm Collar, 5.0mm Profile

Requires ComScrew catalog number AB660





AB201

**OVERDENTURE ABUTMENT, Clear Plastic, Yellow** 

AB401 Non-Engaging

Requires ComScrew catalog number AB660

For use with screw retained dentures, Hader Bar and distal extension attachment cases.

#### **CEMENT-ON POST, Titanium**

AB505	1mm Collar, 5.3mm Profile
AB510	2mm Collar, 5.3mm Profile
AB515	4mm Collar, 5.3mm Profile
AB520	2mm Collar, 6.1mm Profile
AB525	4mm Collar, 6.1mm Profile
AB535	3mm Collar, 6.1mm Profile

Requires ComScrew catalog number AB660



AB510



AB515







**AB505** 

ComScrew® Titanium

AB660 UniGrip®

35 Ncm

CUSTOMER SERVICE 888-281-8850

7



Gompatible with: - 4.3mm Regular Platform (RP) NobelReplace® Tapered & Straight Groovy®, NobelSpeedy® Replace, Replace® Select Tapered & Straight implants

## **GUIDE PIN/WAXING SCREW, Titanium**

AB680

**UniGrip®** 



#### **THREADED IMPRESSION COPING, Titanium, Yellow**

AB700 Closed Tray, 4.5mm Profile



# **THREADED IMPRESSION COPING, Titanium, Yellow**

AB750 Open Tray, 4.7mm Profile



# **TEMPORARY ABUTMENT, Titanium**

AB800 AB801 Engaging, 1mm Collar, 5.3mm Profile Non-Engaging, 1mm Collar, 5.3mm Profile





Requires ComScrew catalog number AB660

#### **IMPLANT REPLICA, Aluminum, Yellow**

AB910




Compatible with: - 5.0mm Wide Platform (WP) NobelReplace® Tapered & Straight Groovy®, NobelSpeedy® Replace, Replace® Select Tapered & Straight implants

#### **UCLA ABUTMENT, Gold/Clear Plastic, Blue**

AC100 Engaging, 0.5mm Collar, 5.2mm Profile AC101 Non-Engaging, 0.5mm Collar, 5.2mm Profile

Requires ComScrew catalog number AB660



#### AC100

AC101

#### **UCLA ABUTMENT, Clear Plastic, Blue**

AC200 Engaging, 1.0mm Collar, 5.5mm Profile AC201 Non-Engaging, 1.0mm Collar, 5.5mm Profile

Requires ComScrew catalog number AB660





AC201

## **OVERDENTURE ABUTMENT, Clear Plastic, Blue**

AC401 Non-Engaging

Requires ComScrew catalog number AB660

For use with screw retained dentures, Hader Bar and distal extension attachment cases.

#### CEMENT-ON POST, Titanium

AC505	1mm Collar, 6.0mm Profile
AC510	2mm Collar, 6.0mm Profile
AC515	4mm Collar, 6.0mm Profile
AC520	2mm Collar, 6.8mm Profile
AC525	4mm Collar, 6.8mm Profile

Requires ComScrew catalog number AB660



AC505



AC510



AC515



AC520



AC525

#### ComScrew® Titanium

**UniGrip® AB660** 



**CUSTOMER SERVICE** 888-281-8850





Gompatible with: - 5.0mm Wide Platform (WP) NobelReplace® Tapered & Straight Groovy®, NobelSpeedy® Replace, Replace® Select Tapered & Straight implants

#### **GUIDE PIN/WAXING SCREW, Titanium**

AB680 UniGrip®



#### **THREADED IMPRESSION COPING, Titanium, Blue**

AC700 Closed Tray, 5.5mm Profile



#### **THREADED IMPRESSION COPING, Titanium, Blue**

AC750 Open Tray, 5.5mm Profile



# **TEMPORARY ABUTMENT, Titanium**

AC800 Engaging, 1mm Collar, 5.4mm Profile AC801 Non-Engaging, 1mm Collar, 5.4mm Profile



AC800



AC801

# **IMPLANT REPLICA, Aluminum, Blue**

Requires ComScrew catalog number AB660

AC910



Gompatible with: - 6.0mm NobelReplace® Tapered & Straight Groovy®, NobelSpeedy® Replace, Replace® Select Tapered & Straight implants

# **UCLA ABUTMENT, Gold/Clear Plastic, Green**

Engaging, 0.5mm Collar, 6.2mm Profile Non-Engaging, 0.5mm Collar, 6.2mm Profile AD100 AD101

Requires ComScrew catalog number AB660





AD100

AD101

#### **UCLA ABUTMENT, Clear Plastic, Green**

Engaging, 1.0mm Collar, 6.5mm Profile Non-Engaging, 1.0mm Collar, 6.5mm Profile AD200 AD201

Requires ComScrew catalog number AB660 AD200



## **CEMENT-ON POST, Titanium**

AD510 2mm Collar, 7.0mm Profile

Requires ComScrew catalog number AB660



Gompatible with: - 6.0mm NobelReplace® Tapered & Straight Groovy®, NobelSpeedy® Replace, Replace® Select Tapered & Straight implants

## **ComScrew® Titanium**

AB660

**UniGrip®** 

35 Ncm



# GUIDE PIN/WAXING SCREW, Titanium

AB680

**UniGrip®** 



# THREADED IMPRESSION COPING, Titanium, Green

AD700 Closed Tray, 6.5mm Profile



# **IMPLANT REPLICA, Aluminum, Green**

AD910



Compatible with: - 3.3mm & 3.7mm (3.5mm Platform) Screw-Vent Zimmer® implants

#### **UCLA ABUTMENT, Gold/Clear Plastic, Green**

P110 Hexed, 0.8mm Collar, 4.5mm, Profile, TiteFit™ P101 Non-Hexed, 0.8mm Collar, 4.5mm Profile

Requires ComScrew catalog number P655





P110

P101

# **UCLA ABUTMENT, Clear Plastic Green**

P200 Hexed, 0.9mm Collar, 4.3mm Profile P201 Non-Hexed, 0.9mm Collar, 4.3mm Profile

Requires ComScrew catalog number P655





P200

P201

#### **OVERDENTURE ABUTMENT, Clear Plastic, Green**

P401 Non-Hexed

Requires ComScrew catalog number P655

For use with screw retained dentures, Hader Bar and distal extension attachment cases.

#### **CEMENT-ON POST, Titanium**

P505	1mm Collar, 4.5mm Profile, TiteFit™
P510	2mm Collar, 4.5mm Profile, TiteFit™
P515	4mm Collar, 4.5mm Profile, TiteFit™
P520	2mm Collar, 5.5mm Profile, TiteFit <sup>™</sup>
P525	4mm Collar, 5.5mm Profile, TiteFit™
P535	3mm Collar, 5.5mm Profile, TiteFit™

Requires ComScrew catalog number P655











P505

P510

P515

P520

P525

P535

#### ComScrew®, Titanium

P655 .050" Hex

30 Ncm





Gompatible with: - 3.3mm & 3.7mm (3.5mm Platform) Screw-Vent Zimmer® implants

# **GUIDE PIN/WAXING SCREW, Titanium**

P680 .050" Hex



#### THREADED IMPRESSION COPING, Titanium, Green

P700 Closed Tray, 4.6mm Profile



#### THREADED IMPRESSION COPING, Titanium, Green

P750 Open Tray, 4.7mm Profile



# **TEMPORARY ABUTMENT, Titanium**

P800 Hexed, 1mm Collar, 4.5mm Profile P801 Non-Hexed, 1mm Collar, 4.5mm Profile



Requires ComScrew catalog number P655



P900

Suitable for soldering



# IMPLANT REPLICA, Aluminum, Green

P910



#### **SCREW AND ABUTMENT REMOVAL TOOL**

T5190



Compatible with: - 4.7mm (4.5mm Platform) Screw-Vent Zimmer® implants

## **UCLA ABUTMENT, Gold/Clear Plastic, Purple**

R110 Hexed, 0.8mm Collar, 4.7mm Profile, TiteFit<sup>TM</sup> R101 Non-Hexed, 0.8mm Collar, 4.7mm Profile

Requires ComScrew catalog number P655





R110

R101

# **UCLA ABUTMENT, Clear Plastic, Purple**

R200 Hexed, 0.7mm Collar, 4.6mm Profile R201 Non-Hexed, 0.7mm Collar, 4.6mm Profile

Requires ComScrew catalog number P655





R201

#### **OVERDENTURE ABUTMENT, Clear Plastic, Purple**

R401 Non-Hexed

Requires ComScrew catalog number P655

For use with screw retained dentures, Hader Bar and distal extension attachment cases.

#### **CEMENT-ON POST, Titanium**

R505	1mm Collar, 5.5mm Profile, TiteFit™
R510	2mm Collar, 5.5mm Profile, TiteFit™
R515	4mm Collar, 5.5mm Profile, TiteFit™
R520	2mm Collar, 6.5mm Profile, TiteFit™
R525	4mm Collar, 6.5mm Profile, TiteFit™

Requires ComScrew catalog number P655











R505

R510

R515

R520

R525

#### ComScrew™, Titanium

P655 .050" Hex

30 Ncm





Compatible with: - 4.7mm (4.5mm Platform) Screw-Vent Zimmer® implants

#### **GUIDE PIN/WAXING SCREW, Titanium**

P680

.050" Hex

# THREADED IMPRESSION COPING, Titanium, Purple

R700

Closed Tray, 4.9mm Profile



# **THREADED IMPRESSION COPING, Titanium, Purple**

R750

Open Tray, 5.2mm Profile



#### **TEMPORARY ABUTMENT, Titanium**

R800 R801 Hexed, 1mm Collar, 5.4mm Profile

Non-Hexed, 1mm Collar, 5.4mm Profile





Requires ComScrew catalog number P655

# IMPLANT REPLICA, Stainless Steel

R900

Suitable for soldering




# **IMPLANT REPLICA, Aluminum, Purple**

R910



# **SCREW AND ABUTMENT REMOVAL TOOL**

T5190





Gompatible with: - 6.0mm (5.7mm Platform) Screw-Vent Zimmer® implants

# UCLA ABUTMENT, Gold/Clear Plastic, Yellow

S110 Hexed, 0.85mm Collar, 5.7mm Profile, TiteFit™ S101 Non-Hexed, 0.85mm Collar, 5.7mm Profile





Requires ComScrew catalog number P655

S110

S101

#### **CEMENT-ON POST, Titanium**

S505	1mm Collar, 6.5mm Profile, TiteFit <sup>™</sup>
S510	2mm Collar, 6.5mm Profile, TiteFit™
S515	4mm Collar, 6.5mm Profile, TiteFit™
S535	3mm Collar, 6.5mm Profile, TiteFit™

Requires ComScrew catalog number P655









S505

S510

S515

S535

# ComScrew™, Titanium

P655 .050" Hex

30 Ncm



# **GUIDE PIN/WAXING SCREW, Titanium**

P680 .050" Hex



#### **THREADED IMPRESSION COPING, Titanium, Yellow**

S700 Closed Tray, 6mm Profile





Gompatible with: - 6.0mm (5.7mm Platform) Screw-Vent Zimmer® implants

# **THREADED IMPRESSION COPING, Titanium, Yellow**

S750 Open Tray, 6.4mm Profile



# **TEMPORARY ABUTMENT, Titanium**

S800 Hexed, 1mm Collar, 6.4mm Profile S801 Non-Hexed, 1mm Collar, 6.4mm Profile



Requires ComScrew catalog number P655

S800




# **IMPLANT REPLICA, Aluminum, Yellow**

S910



#### **SCREW AND ABUTMENT REMOVAL TOOL**

T5190



#### **Compatible with:** : 4.1mm Platform Internal BIOMET® 3i® Certain implants

## **UCLA ABUTMENT, Gold/Clear Plastic, Blue**

 $\begin{array}{ccc} AK100 & Hexed, 0.50mm \ Collar, 4.5mm \ Profile \\ Requires \ Small \ Diameter \ ComScrew^{\tiny TM} \end{array}$ 

AK101 Non-Hexed, 0.50mm Collar, 4.5mm Profile Requires Large Diameter ComScrew<sup>TM</sup>





AK100

00 AK101

# UCLA ABUTMENT, Clear Plastic, Blue

AK200 Hexed, 1.0mm Collar, 4.8mm Profile Requires Small Diameter ComScrew $^{\text{TM}}$ 

AK201 Non-Hexed, 1.0mm Collar, 4.8mm Profile Requires Large Diameter ComScrew<sup>TM</sup>





AK200

AK201

#### **CEMENT-ON POST, Titanium**

AK505	1mm Collar, 5.1mm Profile
AK510	2mm Collar, 5.1mm Profile
AK515	4mm Collar, 5.1mm Profile
AK520	2mm Collar, 5.9mm Profile
AK525	4mm Collar, 5.9mm Profile

Requires Small Diameter ComScrew<sup>TM</sup>





AK510



AK515



AK520



SMALL DIAMETER ComScrew<sup>™</sup>

AJ600 Gold, 1.2mm (.048") Hex, 20Ncm Gold alloy

AJ650 Titanium, 1.2mm (.048") Hex, 20Ncm





AJ650

#### LARGE DIAMETER ComScrew TM

AJ601 Gold, 1.2mm (.048") Hex, 20Ncm Gold alloy

AJ651 Titanium, 1.2mm (.048") Hex, 20Ncm





AJ651

CUSTOMER SERVICE 888-281-8850



#### Gompatible with: 4.1mm Platform Internal BIOMET® 3i® Certain implants

# Guide Pin/Waxing Screw, Titanium

AJ680 Small Diameter, 1.2mm (.048") Hex AJ681 Large Diameter, 1.2mm (.048") Hex



## THREADED IMPRESSION COPING, Titanium, Blue

AK700 Closed Tray, 4.3mm Profile



#### THREADED IMPRESSION COPING, Titanium, Blue

AK750 Open Tray, 4.5mm Profile



#### **TEMPORARY ABUTMENT, Titanium**

 $\begin{array}{ccc} AK800 & Hexed, 1.0mm \ Collar, 4.9mm \ Profile \\ Requires \ Small \ Diameter \ ComScrew^{\tiny TM} \end{array}$ 

AK801 Non-Hexed, 1.0mm Collar, 4.9mm Profile Requires Large Diameter ComScrew<sup>TM</sup>





AK801

**IMPLANT REPLICA, Aluminum, Blue** 

AK910



Compatible with: : 5.0mm Platform Internal BIOMET® 3i® Certain implants

#### UCLA ABUTMENT, Gold/Clear Plastic, Yellow

AL100 Hexed, 0.50mm Collar, 5.5mm Profile Requires Small Diameter ComScrew<sup>TM</sup>

Non-Hexed, 0.50mm Collar, 5.5mm Profile Requires Large Diameter ComScrew™





AL100

AL101

#### **UCLA ABUTMENT, Clear Plastic, Yellow**

Hexed, 1.0mm Collar, 5.5mm Profile Requires Small Diameter ComScrew<sup>TM</sup>

Non-Hexed, 1.0mm Collar, 5.5mm Profile Requires Large Diameter ComScrew<sup>TM</sup>





AL200

AL201

#### **CEMENT-ON POST, Titanium**

AL505	1mm Collar, 6.0mm Profile
AL510	2mm Collar, 6.0mm Profile
AL515	4mm Collar, 6.0mm Profile
AL520	2mm Collar, 6.80mm Profile
AL525	4mm Collar, 6.80mm Profile

#### Requires Small Diameter ComScrew<sup>TM</sup>











AL525

AL520

SMALL DIAMETER ComScrew TM

Gold, 1.2mm (.048") Hex, 20Ncm AJ600 Gold alloy

> Titanium, 1.2mm (.048") Hex, 20Ncm AJ650





AJ600

AJ650

#### LARGE DIAMETER ComScrew TM

AJ651

Gold, 1.2mm (.048") Hex, 20Ncm AJ601 Gold alloy

Titanium, 1.2mm (.048") Hex, 20Ncm

AJ601



**CUSTOMER SERVICE** 888-281-8850



# Gompatible with: 5.0mm Platform Internal BIOMET® 3i® Certain implants

#### **GUIDE PIN/WAXING SCREW, Titanium**

AJ680 Small Diameter, 1.2mm (.048") Hex AJ681 Large Diameter, 1.2mm (.048") Hex



## THREADED IMPRESSION COPING, Titanium, Yellow

AL700 Closed Tray, 5.5mm Profile



# THREADED IMPRESSION COPING, Titanium, Yellow

AL750 Open Tray, 5.5mm Profile



# **TEMPORARY ABUTMENT, Titanium**

AL800 Hexed, 1.0mm Collar, 5.8mm Profile Requires Small Diameter ComScrew $^{\rm TM}$ 

AL801 Non-Hexed, 1.0mm Collar, 5.8mm Profile Requires Large Diameter ComScrew<sup>TM</sup>





AL800 AL801

## **IMPLANT REPLICA, Aluminum, Yellow**

AL910



**Gompatible with:** : 6.0mm Platform Internal BIOMET® 3i® Certain implants

#### UCLA ABUTMENT, Gold/Clear Plastic, Green

 $\begin{array}{ccc} AM100 & Hexed, 0.50mm \ Collar, 6.5mm \ Profile \\ Requires \ Small \ Diameter \ ComScrew^{\tiny TM} \end{array}$ 

AM101 Non-Hexed, 0.50mm Collar, 6.5mm Profile Requires Large Diameter ComScrew $^{\text{TM}}$ 





AM100

AM101

#### **UCLA ABUTMENT, Clear Plastic, Green**

AM200 Hexed, 1.0mm Collar, 6.5mm Profile Requires Small Diameter ComScrew $^{\text{TM}}$ 

AM201 Non-Hexed, 1.0mm Collar, 6.5mm Profile Requires Large Diameter ComScrew<sup>TM</sup>





AM200

AM201

# **CEMENT-ON POST, Titanium**

AM505 1mm Collar, 7.0mm Profile AM510 2mm Collar, 7.0mm Profile AM515 4mm Collar, 7.0mm Profile

Requires Small Diameter ComScrew™



AM505



AM510



AM515

#### SMALL DIAMETER ComScrew TM

AJ600 Gold, 1.2mm (.048") Hex, 20Ncm Gold alloy

AJ650 Titanium, 1.2mm (.048") Hex, 20Ncm



AJ600



AJ650



# Gompatible with: 6.0mm Platform Internal BIOMET® 3i® Certain implants

# LARGE DIAMETER ComScrew TM

AJ601 Gold, 1.2mm (.048") Hex, 20Ncm AJ651 Titanium, 1.2mm (.048") Hex, 20Ncm



# **GUIDE PIN/WAXING SCREW, Titanium**

AJ680 Small Diameter, 1.2mm (.048") Hex AJ681 Large Diameter, 1.2mm (.048") Hex



# THREADED IMPRESSION COPING, Titanium, Green

AM700 Closed Tray, 6.5mm Profile



# [IMPLANT REPLICA, Aluminum, Green]

AM910



Compatible with: 4.1mm / 4.8mm Regular Neck (RN) ITI Straumann® implants

## **UCLA ABUTMENT, Gold/Clear Plastic, Red**

Y100 Engaging, 0.4mm Collar, 5mm Profile Y101 Non-Engaging, 0.4mm Collar, 5mm Profile





Requires ComScrew catalog number Y665

Y100

Y101


#### **SOLID ABUTMENT PLASTIC COPING**

Y300 Engaging Y301 Non-Engaging



# **UCLA COPING, Gold/Clear Plastic, Red**

Y401 Non-Engaging, 0.2mm Collar, 5mm Profile



Requires ComScrew catalog number Y670

#### **CEMENT-ON POST, Titanium**

Y500 1mm Collar, 5.75mm Profile



Requires ComScrew catalog number Y665

#### SOLID ABUTMENT®, Titanium

Y550 Y555 4mm Height, Yellow 5.5mm Height, Gray Y560 7mm Height, Blue



Y555



Y550

**ABUTMENT SCREW, Titanium** 

Y665 **SCS®** 

35 Ncm



Gompatible with: 4.1mm / 4.8mm Regular Neck (RN) ITI Straumann® implants

## **COPING SCREW, Titanium**

Y670

**SCS®** 

35 Ncm



# THREADED IMPRESSION COPING, Red

Y700 Closed Tray, 5.4mm Profile



#### THREADED IMPRESSION COPING, Red

Y750 Open Tray, 5.4mm Profile



# **TEMPORARY ABUTMENT, Titanium**

Y800 Engaging, 0.3mm Collar, 5mm Profile Y801 Non-Engaging, 0.3mm Collar, 5mm Profile



Requires ComScrew catalog number Y665

# **IMPLANT REPLICA, Stainless Steel**

Y900



#### **SOLID ABUTMENT® ANALOG, Aluminum**

Y950 4mm Height, Yellow Y955 5.5mm Height, Gray Y960 7mm Height, Blue



Y950



Y955



Y960

Gompatible with: 4.8mm Wide Neck (WN) ITI Straumann® implants

# UCLA ABUTMENT, Gold/Clear Plastic

Z100 Engaging, 0.4mm Collar, 6.7mm Profile Z101 Non-Engaging, 0.4mm Collar, 6.7mm Profile





Z101

Requires ComScrew catalog number Y665

#### **SOLID ABUTMENT® PLASTIC COPING**

Z300 Engaging Z301 Non-Engaging



#### **CEMENT-ON POST, Titanium**

Z500 1.25mm Collar, 7.5mm Profile

Requires ComScrew catalog number Y665



## **SOLID ABUTMENT®, Titanium**

Z550 4mm Height, Green, SCS Z555 5.5mm Height, Brown, SCS





**ABUTMENT SCREW, Titanium** 

Y665 SCS®

35 Ncm



# **THREADED IMPRESSION COPING, Titanium**

Z700 Closed Tray, 7mm Profile





Gompatible with: 4.8mm Wide Neck (WN) ITI Straumann® implants

# **THREADED IMPRESSION COPING, Titanium**

Z750 Open Tray, 7mm Profile



# **TEMPORARY ABUTMENT, Titanium**

Engaging, 0.75mm Collar, 7mm Profile Non-Engaging, 0.75mm Collar, 7mm Profile Z800 Z801



Requires ComScrew catalog number Y665

# **IMPLANT REPLICA, Stainless Steel**

Z900

Suitable for soldering



#### **SOLID ABUTMENT® ANALOG, Aluminum**

Z950 4mm Height, Green Z955 5.5mm Height, Brown



Z950



Z955



Gompatible with: 3.3mm Narrow Neck (NN) ITI Straumann® implants

# **UCLA ABUTMENT, Gold/Clear Plastic**

X100 Engaging, 0.4mm Collar, 3.8mm Profile X101 Non-Engaging, 0.4mm Collar, 3.8mm Profile

Requires ComScrew catalog number X665

#### **ComScrew™**, **Titanium**, **Yellow**

X665

**SCS®** 

35 Ncm



# **THREADED IMPRESSION COPING, Titanium**

X750 Open Tray, 4mm Profile



#### **TEMPORARY ABUTMENT, Titanium**

X800 Engaging, 1mm Collar, 4mm Profile X801 Non-Engaging, 1mm Collar, 4mm Profile

Requires ComScrew catalog number X665



#### **IMPLANT REPLICA, Stainless Steel**

X900

Suitable for soldering





# Gompatible with: 3.4mm Frialit-2 & XiVE Friadent implants®

# **UCLA ABUTMENT, Gold/Clear Plastic**

AE100 Hexed, 0.8mm Collar, 3.6mm Profile

H

Requires ComScrew catalog number AE650

#### **CEMENT-ON POST, Titanium**

AE500 2mm Collar, 4.2mm Profile AE510 4mm Collar, 4.2mm Profile



AE500



Requires ComScrew catalog number AE650

# ComScrew™, Titanium

AE650 1.2mm (.048") Hex

20 Ncm





Gompatible with: 3.8mm Frialit-2 & XiVE Friadent implants®

# **UCLA ABUTMENT, Gold/Clear Plastic, Yellow**

AF100 Hexed, 0.8mm Collar, 4mm Profile

Requires ComScrew catalog number AE650



# **CEMENT-ON POST, Titanium**

AF500 2mm Collar, 4.5mm Profile AF510 4mm Collar, 4.5mm Profile

Requires ComScrew catalog number AE650







# **ComScrew™, Titanium**

AE650 1.2mm (.048") Hex

20 Ncm



#### **IMPLANT REPLICA, Stainless Steel**

AF900

Suitable for soldering





# Gompatible with: 4.5mm Frialit-2 & XiVE Friadent implants®

# **CEMENT-ON POST, Titanium**

AG510 4mm Collar, 5mm Profile



Requires ComScrew catalog number AE650

AG510

# ComScrew™, Titanium

AE650 1.2mm (.048") Hex

20 Ncm



Gompatible with: 5.5mm Frialit-2 & XiVE Friadent implants®

# UCLA ABUTMENT, Gold/Clear Plastic, Red

AH100 Hexed, 0.8mm Collar, 5.6mm Profile

Requires ComScrew catalog number AE650



# **CEMENT-ON POST, Titanium**

AH510 4mm Collar, 6mm Profile

Requires ComScrew catalog number AE650



# ComScrew<sup>™</sup>, Titanium

AE650 1.2mm (.048") Hex

20 Ncm



#### **IMPLANT REPLICA, Stainless Steel**

AH900

Suitable for soldering



# **IMPLANT REPLICA, Aluminum, Red**

AH910





Gompatible with: -3.75 & 4mm Regular Platform (RP) Branemark® implants

# **UCLA ABUTMENT, Gold/Clear Plastic**

A100 Hexed, 0.8mm Collar, 4.5mm Profile A101 Non-Hexed, 0.8mm Collar, 4.5mm Profile

Requires ComScrew



A200 Hexed, 1.2mm Collar, 4.4mm Profile A201 Non-Hexed, 1.2mm Collar, 4.4mm Profile

Requires ComScrew



A401 Non-Hexed

Requires ComScrew

For use with screw retained dentures, Hader Bar and distal extension attachment cases.

#### **OVERDENTURE ABUTMENT, Titanium**

A451 Non-Hexed

Requires ComScrew

Suitable for laser welding to Titanium Hader Bar

# **CEMENT-ON POST, Titanium**

A500 2mm Collar, 5mm Profile A510 4mm Collar, 5mm Profile

Requires ComScrew







A510



Gompatible with: -3.75 & 4mm Regular Platform (RP) Branemark® implants

# ComScrew<sup>™</sup>, Gold

A600

Square

32Ncm

Gold alloy



#### **ComScrew™**, **Titanium**

A650

1.2mm (.048")Hex, 20 Ncm

A655 A660 .050" Hex, 20 Ncm UniGrip<sup>®</sup>, 35 Ncm

A650



A655



A660

# **THREADED IMPRESSION COPING, Titanium**

A700

Closed Tray, 4.6mm Profile



#### **TEMPORARY ABUTMENT, Titanium**

A800 A801 Hexed, 1.4mm Collar, 4.5mm Profile Non-Hexed, 1.4mm Collar, 4.5mm Profile



Requires ComScrew

# **IMPLANT REPLICA, Stainless Steel**

A900

Suitable for soldering





Gompatible with: 5.0mm BIOMET® 3i® implants

# **UCLA ABUTMENT, Gold/Clear Plastic**

C100 Hexed, 0.8mm Collar, 5.5mm Profile

Requires ComScrew



#### **UCLA ABUTMENT, Clear Plastic**

C200 Hexed, 1.3mm Collar, 5.4mm Profile C201 Non-Hexed, 1.3mm Collar, 5.4mm Profile

Requires ComScrew



# **OVERDENTURE ABUTMENT, Clear Plastic**

C401 Non-Hexed

Requires ComScrew

For use with screw retained dentures, Hader Bar and distal extension attachment cases.



# **CEMENT-ON POST, Titanium**

C500 2mm Collar, 6mm Profile C510 4mm Collar, 6mm Profile

Requires ComScrew



C500



C510

#### ComScrew™, Gold

A600 Square

32 Ncm

Gold alloy





### Gompatible with: 5.0mm BIOMET® 3i® implants

# ComScrew™, Titanium

A650 1.2mm (.048") Hex A655 .050" Hex

20 Ncm





A650

A655

# **THREADED IMPRESSION COPING, Titanium**

C700 Closed Tray, 6mm Profile



# **THREADED IMPRESSION COPING, Titanium**

C750 Open Tray, 6mm Profile



## **IMPLANT REPLICA, Stainless Steel**

C900

Suitable for soldering





# Gompatible with: 6.0mm BIOMET® 3i® implants

### **CEMENT-ON POST, Titanium**

D500 2mm Collar, 7mm Profile D510 4mm Collar, 7mm Profile



Requires ComScrew

D500

D510

## ComScrew<sup>™</sup>, Gold

A600 Square

32 Ncm Gold alloy



# ComScrew™, Titanium

A650 1.2mm (.048") Hex A655 .050" Hex

20 Ncm





A650

THREADED IMPRESSION COPING, Titanium

D700 Closed Tray, 7mm Profile



## **THREADED IMPRESSION COPING, Titanium**

D750 Open Tray, 7mm Profile



### **IMPLANT REPLICA, Stainless Steel**

D900

Suitable for soldering

# Díamo Dent®

**Compatible with:** 5.0mm Wide Platform (WP) Branemark® implants

### **UCLA ABUTMENT, Gold/Clear Plastic**

B100 Hexed, 0.85mm Collar, 5.5mm Profile B101 Non-Hexed, 0.85mm Collar, 5.5mm Profile

Requires ComScrew



### **UCLA ABUTMENT, Clear Plastic**

B201 Non-Hexed, 1.3mm Collar, 5.4mm Profile

Requires ComScrew

## **OVERDENTURE ABUTMENT, Clear Plastic**

B401 Non-Hexed

Requires ComScrew

For use with screw retained dentures, Hader Bar and distal extension attachment cases.

### ComScrew™, Gold

B600 Square

32 Ncm Gold alloy



### ComScrew™, Titanium

N650 1.2mm (.048") Hex, 20 Ncm

B660 UniGrip®, 35 Ncm





N650

B660

### **IMPLANT REPLICA, Stainless Steel**

B900

Suitable for soldering





Gompatible with: 4.3mm External Hex Replace Steri-Oss® implants

## **UCLA ABUTMENT, Clear Plastic**

H200 Hexed, 1.5mm Collar, 4.6mm Profile H201 Non-Hexed, 1.5mm Collar, 4.6mm Profile

Requires ComScrew



H500 1.4mm Collar, 5.2mm Profile

Requires ComScrew

## ComScrew<sup>™</sup>, Gold

A600 Square

32 Ncm Gold alloy

### **ComScrew™, Titanium**

A650 1.2mm (.048") Hex, 20 Ncm

A655 .050" Hex, 20 Ncm A660 UniGrip®, 35 Ncm







# Díamo Dent®

Compatible with: 5.0mm External Hex Replace® and HL Threaded Steri-Oss® implants

### **UCLA ABUTMENT, Gold/Clear Plastic**

K101 Non-Hexed, 0.8mm Collar, 5.5mm Profile

Requires ComScrew



K200 Hexed, 1.3mm Collar, 5.4mm Profile K201 Non-Hexed, 1.3mm Collar, 5.4mm Profile

Requires ComScrew

### **OVERDENTURE ABUTMENT, Clear Plastic**

K401 Non-Hexed

Requires ComScrew

For use with screw retained dentures, Hader Bar and distal extension attachment cases.

### **CEMENT-ON POST, Titanium**

K500 1.4mm Collar, 6mm Profile

Requires ComScrew

## ComScrew<sup>™</sup>, Gold

A600 Square

32 Ncm Gold alloy

### ComScrew™, Titanium

A650 1.2mm (.048") Hex, 20 Ncm

.050" Hex, 20 Ncm A655 A660 UniGrip®, 35 Ncm









### **Tools and Accessories**

# **SCREWDRIVERS**

T5100	.035" Hex, 28.2mm Length ————	
T5105	.035" Hex, 21mm Length	
T5120	1.2mm (.048") Hex, 28.2mm Length —	
T5125	1.2mm (.048") Hex, 21mm Length	
T5140	.050" Hex, 28.2mm Length ————	
T5145	.050" Hex, 21mm Length	
T5160	Square, 28.2mm Length —	
T5170	UniGrip®, 28.2mm Length —	
T5175	UniGrip®, 21mm Length	
T5180	SCS®, 28.2mm Length —	
T5185	SCS®, 21mm Length	
SCREW AND AR	RUTMENT REMOVAL TOOL*	



\*U.S. and International patents pending

# **SCREW, Gold**

T5220 Slot

# **SCREW, Titanium**

T5240 Slot

## **HADER BAR, Clear Plastic**

3mm H x 50mm L, 6/Pkg T5320-6

Compatible with all retention clips






## **Tools and Accessories**

DRIVER TII	PS	30mm -
T5400	1.2mm (.048) Hex, Long	
T5405	1.2mm (.048) Hex, Short	25mm
T5410	.050" Hex, Long	30mm
T5415	.050" Hex, Short	25mm
T5420	Square, Long	30mm
T5430	Unigrip®, Long	30mm
T5435	Unigrip®, Short	25mm
T5440	SCS®, Long	30mm
T5445	SCS®, Short	25mm



### **Tools and Accessories**

# LAB SCREWDRIVER



### LAB SCREWDRIVER HOLDER

T5580 Holder

# LAB SCREWDRIVER KIT

T5590

Contains six Lab Screwdrivers, Holder and two mounting screws



### Price List (U.S) Effective February 2016

CAT.	PR	ICE PER	EACH AT	QUANTI	TY
No.	1	6	12	24	36
A100	\$90	\$88.50	\$87	\$85	\$85
A101	\$90	\$88.50	\$87	\$85	\$85
A200	\$11	\$10.75	\$10.50	\$10.25	\$10
A201	\$11	\$10.75	\$10.50	\$10.25	\$10
A401	\$11	\$10.75	\$10.50	\$10.25	\$10
A451	\$15	\$14	\$13	\$12	\$11
A500	\$33	\$32	\$31	\$30	\$29
A510	\$33	\$32	\$31	\$30	\$29
A600	\$45	\$44	\$43	\$42	\$41
A650	\$10	\$9.75	\$9.50	\$9.25	\$9
A655	\$10	\$9.75	\$9.50	\$9.25	\$9
A660	\$10	\$9.75	\$9.50	\$9.25	\$9
A700	\$27	\$26.50	\$26	\$25.50	\$25
A800	\$25	\$24	\$23	\$22	\$21
A801	\$25	\$24	\$23	\$22	\$21
A900	\$10	\$9.75	\$9.50	\$9.25	\$9
B100	\$100	\$99	\$97	\$95	\$95
B101	\$100	\$99	\$97	\$95	\$95
B201	\$11	\$10.75	\$10.50	\$10.25	\$10
B401	\$11	\$10.75	\$10.50	\$10.25	\$10
B600	\$50	\$49	\$48	\$47	\$46
B660	\$10	\$9.75	\$9.50	\$9.25	\$9
B900	\$10	\$9.75	\$9.50	\$9.25	\$9
C100	\$100	\$99	\$97	\$95	\$95
C200	\$11	\$10.75	\$10.50	\$10.25	\$10
C201	\$11	\$10.75	\$10.50	\$10.25	\$10
C401	\$11	\$10.75	\$10.50	\$10.25	\$10
C500	\$33	\$32	\$31	\$30	\$29
C510	\$33	\$32	\$31	\$30	\$29
C700	\$27	\$26.50	\$26	\$25.50	\$25
C750	\$27	\$26.50	\$26	\$25.50	\$25
C900	\$10	\$9.75	\$9.50	\$9.25	\$9
D500	\$33	\$32	\$31	\$30	\$29
D510	\$33	\$32	\$31	\$30	\$29
D700	\$27	\$26.50	\$26	\$25.50	\$25
D750	\$27	\$26.50	\$26	\$25.50	\$25
D900	\$10	\$9.75	\$9.50	\$9.25	\$9
H200	\$11	\$10.75	\$10.50	\$10.25	\$10
H201	\$11	\$10.75	\$10.50	\$10.25	\$10
H500	\$33	\$32	\$31	\$30	\$29
17.4.5.4	0.4.0.0	466	Φ0=	007	00-
K101	\$100	\$99	\$97	\$95	\$95
K200 K201	\$11 \$11	\$10.75	\$10.50 \$10.50	\$10.25 \$10.25	\$10 \$10
K401	\$11 \$11	\$10.75 \$10.75	\$10.50	\$10.25	\$10 \$10
K500	\$33	\$32	\$31	\$30	\$29
11000	ΨΟΟ	ΨυΖ	ΨΟΙ	ΨΟΟ	ΨΔΟ

CAT.	PR	ICE PER	EACH AT	QUANTI	TY
No.	1	6	12	24	36
P101	\$80	\$78	\$76	\$74	\$74
P110	\$80	\$78	\$76	\$74	\$74
P200	\$11	\$10.75	\$10.50	\$10.25	\$10
P201	\$11	\$10.75	\$10.50	\$10.25	\$10
P401	\$11	\$10.75	\$10.50	\$10.25	\$10
P505	\$33	\$32	\$31	\$30	\$29
P510	\$33	\$32	\$31	\$30	\$29
P515	\$33	\$32	\$31	\$30	\$29
P520	\$33	\$32	\$31	\$30	\$29
P525	\$33	\$32	\$31	\$30	\$29
P535	\$33	\$32	\$31	\$30	\$29
P655	\$10	\$9.75	\$9.50	\$9.25	\$9
P680	\$10	\$9.75	\$9.50	\$9.25	\$9
P700	\$27	\$26.50	\$26	\$25.50	\$25
P750	\$27	\$26.50	\$26	\$25.50	\$25
P800	\$25	\$24	\$23	\$22	\$21
P801	\$25	\$24	\$23	\$22	\$21
P900	\$10	\$9.75	\$9.50	\$9.25	\$9
P910	\$10	\$9.75	\$9.50	\$9.25	\$9
R101	\$85	\$83	\$81	\$79	\$79
R110	\$85	\$83	\$81	\$79	\$79
R200	\$11	\$10.75	\$10.50	\$10.25	\$10
R201	\$11	\$10.75	\$10.50	\$10.25	\$10
R401	\$11	\$10.75	\$10.50	\$10.25	\$10
R505	\$33	\$32	\$31	\$30	\$29
R510	\$33	\$32	\$31	\$30	\$29
R515	\$33	\$32	\$31	\$30	\$29
R520	\$33	\$32	\$31	\$30	\$29
R525	\$33	\$32	\$31	\$30	\$29
R700	\$27	\$26.50	\$26	\$25.50	\$25
R750	\$27	\$26.50	\$26	\$25.50	\$25
R800	\$25	\$24	\$23	\$22	\$21
R801	\$25	\$24	\$23	\$22	\$21
R900	\$10	\$9.75	\$9.50	\$9.25	\$9
R910	\$10	\$9.75	\$9.50	\$9.25	\$9
0.10.1	<b>0.40</b> =	<b>*</b> 400	<b>0.10.1</b>	***	200
S101	\$105	\$103	\$101	\$99	\$99
S110	\$105	\$103	\$101	\$99	\$99
S505	\$33	\$32	\$31	\$30	\$29
S510	\$33	\$32	\$31	\$30	\$29
S515	\$33	\$32	\$31	\$30	\$29
S535	\$33	\$32	\$31	\$30	\$29
S700	\$27	\$26.50	\$26	\$25.50	\$25
S750	\$27 \$25	\$26.50 \$24	\$26	\$25.50 \$22	\$25 \$21
S800 S801	\$25 \$25	\$24 \$24	\$23 \$23	\$22 \$22	\$21
S910	\$10	\$9.75	\$9.50	\$9.25	\$9
0010	Ψισ	ψυ.10	ψυ.υυ	Ψ0.20	Ψυ

### Price List (U.S) Effective February 2016

CAT.	PF	RICE PER	EACH AT	QUANTI	TY
No.	1	6	12	24	36
T5100	\$50	\$49	\$48	\$48	\$48
T5105	\$50	\$49	\$48	\$48	\$48
T5120	\$50	\$49	\$48	\$48	\$48
T5125	\$50	\$49	\$48	\$48	\$48
T5140	\$50	\$49	\$48	\$48	\$48
T5145	\$50	\$49	\$48	\$48	\$48
T5160	\$50	\$49	\$48	\$48	\$48
T5170	\$50	\$49	\$48	\$48	\$48
T5175	\$50	\$49	\$48	\$48	\$48
T5180	\$50	\$49	\$48	\$48	\$48
T5185	\$50	\$49	\$48	\$48	\$48
T5190	\$25	\$24	\$24	\$24	\$24
T5220	\$7	\$6	\$5.50	\$5	\$5
T5240	\$5	\$4.60	\$4.20	\$4	\$4
T5320-6	\$12	\$11	\$10	\$10	\$10
T5400	\$30	\$29	\$29	\$29	\$29
T5405	\$30	\$29	\$29	\$29	\$29
T5410	\$30	\$29	\$29	\$29	\$29
T5415	\$30	\$29	\$29	\$29	\$29
T5420	\$30	\$29	\$29	\$29	\$29
T5430	\$30	\$29	\$29	\$29	\$29
T5435	\$30	\$29	\$29	\$29	\$29
T5440	\$30	\$29	\$29	\$29	\$29
T5445	\$30	\$29	\$29	\$29	\$29
T5500	\$30	\$29	\$29	\$29	\$29
T5510	\$30	\$29	\$29	\$29	\$29
T5520	\$30	\$29	\$29	\$29	\$29
T5530	\$30	\$29	\$29	\$29	\$29
T5540	\$30	\$29	\$29	\$29	\$29
T5550	\$30	\$29	\$29	\$29	\$29
T5580	\$10	\$9	\$9	\$9	\$9
T5590	\$180	\$175	\$175	\$175	\$175
X100	\$100	\$98	\$96	\$94	\$92
X101	\$100	\$98	\$96	\$94	\$92
X665	\$10	\$9.75	\$9.50	\$9.25	\$9
X750	\$27	\$26.50	\$26	\$25.50	\$25
X800	\$25	\$24	\$23	\$22	\$21
X801	\$25	\$24	\$23	\$22	\$21
X900	\$10	\$9.75	\$9.50	\$9.25	\$9

Y100 Y101 Y300 Y301	\$105 \$105 \$11	<b>6</b> \$103	<b>12</b> \$101	24	36
Y100 Y101 Y300 Y301	\$105		¢101		
Y300 Y301	\$105		ו סוטו ו	\$99	\$97
Y301		\$103	\$101	\$99	\$97
Y301	ΨII	\$10.75	\$10.50	\$10.25	\$10
	\$11	\$10.75	\$10.50	\$10.25	\$10
Y401	\$80	\$78	\$76	\$74	\$72
Y500	\$33	\$32	\$31	\$30	\$29
Y550	\$33	\$32	\$31	\$30	\$29
Y555	\$33	\$32	\$31	\$30	\$29
Y560	\$33	\$32	\$31	\$30	\$29
Y665	\$10	\$9.75	\$9.50	\$9.25	\$9
Y670	\$10	\$9.75	\$9.50	\$9.25	\$9
Y700	\$27	\$26.50	\$26	\$25.50	\$25
Y750	\$27	\$26.50	\$26	\$25.50	\$25
Y800	\$25	\$24	\$23	\$22	\$21
Y801	\$25	\$24	\$23	\$22	\$21
Y900	\$10	\$9.75	\$9.50	\$9.25	\$9
Y950	\$10	\$9.75	\$9.50	\$9.25	\$9
Y955	\$10	\$9.75	\$9.50	\$9.25	\$9 \$9
Y960	\$10				\$9 \$9
1 300	φΙΟ	\$9.75	\$9.50	\$9.25	φЭ
Z100	¢120	¢120	¢126	¢126	¢126
	\$130	\$128	\$126	\$126	\$126 \$126
Z101 Z300	\$130	\$128	\$126	\$126	\$120
Z300	\$11 \$11	\$10.75	\$10.50 \$10.50	\$10.25 \$10.25	
		\$10.75			\$10
Z500 Z550	\$33	\$32 \$32	\$31	\$30	\$29
	\$33 \$33		\$31 \$31	\$30	\$29
Z555 Z700	\$33 \$27	\$32	\$31 \$26	\$30	\$29 \$25
	_	\$26.50		\$25.50	_
Z750	\$27	\$26.50	\$26	\$25.50	\$25
Z800 Z801	\$25 \$25	\$24 \$24	\$23 \$23	\$22 \$22	\$21 \$21
Z900	\$10	\$9.75	\$9.50	\$9.25	\$9
Z950					-
Z955	\$10 \$10	\$9.75	\$9.50	\$9.25	\$9 ©0
2955	\$10	\$9.75	\$9.50	\$9.25	\$9
AA100	\$80	¢70.50	¢77	<b>Ф77</b>	¢77
AA100	\$80	\$78.50 \$78.50	\$77 \$77	\$77 \$77	\$77 \$77
AA101 AA200	\$11	\$10.75	\$10.50	\$10.25	\$17 \$10
AA200 AA201	\$11	\$10.75	\$10.50	\$10.25	\$10
AA401	\$11	\$10.75	\$10.50	\$10.25	\$10
AA505	\$33	\$32	\$31	\$30	\$29
AA510	\$33	\$32	\$31	\$30	\$29
AA515	\$33	\$32	\$31	\$30	\$29
AA510	\$33	\$32	\$31	\$30	\$29
AA525	\$33	\$32	\$31	\$30	\$29
AA535	\$33	\$32	\$31	\$30	\$29
AA660	\$10	\$9.75	\$9.50	\$9.25	\$9
AA680	\$10	\$9.75	\$9.50	\$9.25	\$9
AA690	\$10	\$9.75	\$9.50	\$9.25	\$9
AA700	\$27	\$26.50	\$26	\$25.50	\$25
AA750	\$27	\$26.50	\$26	\$25.50	\$25
AA800	\$25	\$24	\$23	\$22	\$21
AA801	\$25	\$24	\$23	\$22	\$21
AA910	\$10	\$9.75	\$9.50	\$9.25	\$9
7.2.010	Ţ. <b>U</b>	<b>40.10</b>	<b>40.00</b>	ŢJ. <b>2</b> 0	Ţ.

### Price List (U.S) Effective February 2016

CAT.	PF	RICE PER	EACH AT	QUANTI	TY
No.	1	6	12	24	36
AB100	\$85	\$83.50	\$82	\$82	\$82
AB101	\$85	\$83.50	\$82	\$82	\$82
AB200	\$11	\$10.75	\$10.50	\$10.25	\$10
AB201	\$11	\$10.75	\$10.50	\$10.25	\$10
AB401	\$11	\$10.75	\$10.50	\$10.25	\$10
AB505	\$33	\$32	\$31	\$30	\$29
AB510	\$33	\$32	\$31	\$30	\$29
AB515	\$33	\$32	\$31	\$30	\$29
AB520	\$33	\$32	\$31	\$30	\$29
AB525	\$33	\$32	\$31	\$30	\$29
AB535	\$33	\$32	\$31	\$30	\$29
AB660	\$10	\$9.75	\$9.50	\$9.25	\$9
AB680	\$10	\$9.75	\$9.50	\$9.25	\$9
AB690	\$10	\$9.75	\$9.50	\$9.25	\$9
AB700	\$27	\$26.50	\$26	\$25.50	\$25
AB750	\$27	\$26.50	\$26	\$25.50	\$25
AB800	\$25	\$24	\$23	\$22	\$21
AB801	\$25	\$24	\$23	\$22	\$21
AB910	\$10	\$9.75	\$9.50	\$9.25	\$9
AC100	\$85	\$83.50	\$82	\$82	\$82
AC101	\$85	\$83.50	\$82	\$82	\$82
AC200	\$11	\$10.75	\$10.50	\$10.25	\$10
AC201	\$11	\$10.75	\$10.50	\$10.25	\$10
AC401	\$11	\$10.75	\$10.50	\$10.25	\$10
AC505	\$33	\$32	\$31	\$30	\$29
AC510 AC515	\$33 \$33	\$32 \$32	\$31 \$31	\$30	\$29
	\$33	\$32		\$30	\$29
AC520 AC525	\$33	\$32	\$31 \$31	\$30 \$30	\$29 \$29
AC700	\$27	\$26.50	\$26	\$25.50	\$25
AC750	\$27	\$26.50	\$26	\$25.50	\$25
AC800	\$25	\$24	\$23	\$22	\$21
AC801	\$25	\$24	\$23	\$22	\$21
AC910	\$10	\$9.75	\$9.50	\$9.25	\$9
	Ţ, Ţ	, 40.70	, <del>, , , , , , , , , , , , , , , , , , </del>	, yu.=u	, , o
AD100	\$130	\$128	\$126	\$126	\$126
AD101	\$130	\$128	\$126	\$126	\$126
AD200	\$11	\$10.75	\$10.50	\$10.25	\$10
AD201	\$11	\$10.75	\$10.50	\$10.25	\$10
AD510	\$33	\$32	\$31	\$30	\$29
AD700	\$27	\$26.50	\$26	\$25.50	\$25
AD910	\$10	\$9.75	\$9.50	\$9.25	\$9
AE100	\$90	\$88	\$86	\$84	\$84
AE500	\$33	\$32	\$31	\$30	\$29
AE510	\$33	\$32	\$31	\$30	\$29
AE650	\$10	\$9.75	\$9.50	\$9.25	\$9

CAT.	PRICE PER EACH AT QUANTITY				TY
No.	1	6	12	24	36
AF100	\$100	\$98	\$96	\$94	\$94
AF500	\$33	\$32	\$31	\$30	\$29
AF510	\$33	\$32	\$31	\$30	\$29
AF900	\$10	\$9.75	\$9.50	\$9.25	\$9
Al 300	Ψ10	ψ5.75	ψ0.00	ψ5.20	ΨΟ
AG500	\$33	\$32	\$31	\$30	\$29
AG500		\$32	\$31	•	t
AGSTU	\$33	<b>Φ32</b>	कुउ।	\$30	\$29
AH100	¢110	¢100	¢106	¢104	\$104
	\$110	\$108	\$106	\$104 \$30	<del></del>
AH510	\$33	\$32	\$31		\$29
AH900	\$10	\$9.75	\$9.50	\$9.25	\$9
AH910	\$10	\$9.75	\$9.50	\$9.25	\$9
A 1000	<b>0.5</b> 0	0.40	040.50	0.45	M40.50
AJ600	\$50	\$48	\$46.50	\$45	\$43.50
AJ601	\$50	\$48	\$46.50	\$45	\$43.50
AJ650	\$10	\$9.75	\$9.50	\$9.25	\$9
AJ651	\$10	\$9.75	\$9.50	\$9.25	\$9
AJ680	\$10	\$9.75	\$9.50	\$9.25	\$9
AJ681	\$10	\$9.75	\$9.50	\$9.25	\$9
		T :			
AK100	\$90	\$88.00	\$86	\$84	\$84
AK101	\$90	\$88.00	\$86	\$84	\$84
AK200	\$11	\$10.75	\$10.50	\$10.25	\$10
AK201	\$11	\$10.75	\$10.50	\$10.25	\$10
AK505	\$33	\$32	\$31	\$30	\$29
AK510	\$33	\$32	\$31	\$30	\$29
AK515	\$33	\$32	\$31	\$30	\$29
AK520	\$33	\$32	\$31	\$30	\$29
AK525	\$33	\$32	\$31	\$30	\$29
AK700	\$27	\$26.50	\$26	\$25.50	\$25
AK750	\$27	\$26.50	\$26	\$25.50	\$25
AK800	\$25	\$24	\$23	\$22	\$21
AK801	\$25	\$24	\$23	\$22	\$21
AK910	\$10	\$9.75	\$9.50	\$9.25	\$9
AL100	\$100	\$98.00	\$96	\$94	\$94
AL101	\$100	\$98.00	\$96	\$94	\$94
AL200	\$11	\$10.75	\$10.50	\$10.25	\$10
AL201	\$11	\$10.75	\$10.50	\$10.25	\$10
AL505	\$33	\$32	\$31	\$30	\$29
AL510	\$33	\$32	\$31	\$30	\$29
AL515	\$33	\$32	\$31	\$30	\$29
AL520	\$33	\$32	\$31	\$30	\$29
AL525	\$33	\$32	\$31	\$30	\$29
AL700	\$27	\$26.50	\$26	\$25.50	\$25
AL750	\$27	\$26.50	\$26	\$25.50	\$25
AL800	\$25	\$24	\$23	\$22	\$21
AL801	\$25	\$24	\$23	\$22	\$21
AL910	\$10	\$9.75	\$9.50	\$9.25	\$9

Price List (U.S)
Effective February 2016

CAT.	PRICE PER EACH AT QUANTITY				
No.	1	6	12	24	36
AM100	\$100	\$98	\$96	\$94	\$94
AM101	\$100	\$98	\$96	\$94	\$94
AM200	\$11	\$10.75	\$10.50	\$10.25	\$10
AM201	\$11	\$10.75	\$10.50	\$10.25	\$10
AM505	\$33	\$32	\$31	\$30	\$29
AM510	\$33	\$32	\$31	\$30	\$29
AM515	\$33	\$32	\$31	\$30	\$29
AM700	\$27	\$26.50	\$26	\$25.50	\$25
AM910	\$10	\$9.75	\$9.50	\$9.25	\$9

### SHIPPING:

- 1. Free 2nd day shipping for orders \$150+,
- 2. Free standard overnight shipping for orders \$250+
- 3. Shipping surcharges apply to residential & out of service areas.
- 4. Additional shipping charges apply to Hawaii, Alaska & International destinations.

### NOTE:

Prices are subject to change without notice and are in U.S. Dollars

### **RETURN POLICY:**

- 1. Call for Return Authorization Number before shipping.
- 2. Packages must be un-opened, un-damaged & clean.
- 3. Must have been purchased within the last 30 days.
- 4. Include a copy of invoice.
- 5. Do not staple or tape the packages.
- 6. All returns MUST be shipped in a <u>box</u>, not envelope or padded envelope.

# NOTES


# NOTES


# Lifetime Warranty

DiamoDent offers "Lifetime Warranty" on all restorative components. DiamoDent warrants that its products shall be free from defects in material and/or workmanship. This warranty applies only to the original purchaser. DiamoDent will at its option, either repair, replace or issue credit for such products. Purchaser assumes all risks and liability resulting from the use of these products. DiamoDent makes no other warranties, express or implied, except as set forth above.

In the event of a product defect, please immediately notify DiamoDent's Customer Service Department prior to returning the product. Product must be sterilized prior to return.



1577 North Harmony Circle Anaheim, CA 92807 U.S.A.

### WWW.DIAMODENT.COM

Customer Service Monday – Friday 7am-5pm, Pacific Time 888-281-8850 714-701-0171 714-701-0176 Fax

All products are approved by FDA

All products are manufactured in U.S and Europe

Prices are subject to change without notice

### Trademarks

DiamoDent is registered trademark of DiamoDent Inc.

ComScrew & TiteFit are trademarks of DiamoDent Inc.

BIOMET, Osseotite XP, Miniplant, MicroMiniplant, Certain &3i are registered trademarks of Implant Innovations Inc. NobelReplace, Tapered & Straight Groovy, NobelSpeedy Replace, Replace Select Tapered & Straight, Branemark,

Steri-Oss, UniGrip, WP, RP & HL are registered trademarks of Nobel Biocare AB

Lifecore, Keystone, RENOVA, RESTORE, SD, RD, WD, SDI & RDI are registered trademarks of Keystone Dental.

BioHorizon is registered trademark of BioHorizons USA

Screw-Vent & Zimmer are registered trademarks of Zimmer

Frialit-2, XiVE & Friadent are registered trademarks of Friadent

Solid Abutment, SCS, ITI & Straumann are registered trademarks of Straumann

RePlant, RePluCs, ReActive, Legacy & Implant Direct are

registered trademarks of Implant Direct LLC

L1004 Rev C